



No. B 16 11 76667 022

8 Fl, No. 66, Chung Cheng Rd., Hsin Chuang Dist.
24243 New Taipei City
TAIWAN



Product: Low voltage switchgear combination
(Switches)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.


Test report no.: 611001602001

Valid until: 2021-11-16

Date, 2016-11-18

(Bill Lin)

Page 1 of 3





Product Service

CERTIFICATE**No. B 16 11 76667 022**

Model(s): F12S1 series
(See attachment for details)

Parameters:

Rated voltage:	48 Vdc
Rated current:	0.1 A
Utilization category:	DC-12
Pollution degree:	2
Degree of protection:	IP67 (panel front)

Tested according to: EN 60947-1:2007/A1:2011
EN 60947-5-1:2004/A1:2009

Production Facility(ies): 76667

Page 2 of 3



Model designation is listed below:

F 12 S 1 - 2 2 1 3 G F S 0 00 0 0 0 0 0
 ① ② ③④ ⑤ ⑥ ⑦ ⑧ ⑨ y1 y2 y3 y4 y5

- ① 1: Terminal (solder type)
 - ② Function:
 - 1: Momentary
 - 2: Maintained
 - ③ Contacts:
 - 1: 1 NO
 - ④ LED Voltage:
 - 0: None
 - 2: 6V
 - 3: 12V
 - ⑤ LED Color :
 - N: None
 - G: Green
 - R: Red
 - A: Amber
 - B: Blue
 - W: White
 - ⑥ Actuator Options:
 - F: Flush
 - P: Prominent
 - D: Domed
 - ⑦ Material Finish:
 - S: Stainless Steel
 - P: Brushed Stainless Steel
 - A: Aluminum
 - B: Black Aluminum
 - ⑧ Lens color:
 - 0: None
 - G: Green
 - R: Red
 - A: Amber
 - B: Blue
 - W: White
 - ⑨ Mark:
 - 00: None
 - 01: Dot
 - 02: Ring
 - 03: Power
 - 04: other
- y1-y5 Commercial use, can be none, 0-9, a-z or A-Z

Date, 2016-11-18

Bill

Page 3 of 3